

Index

- Aber biomass probe, 30, 33
 - Perfect Pitch system, 33
- accuracy, of standard methods, 22–24
- acidity, of beer, 64
- adjuncts, specifications and analysis sheets for, 53–54
- aflatoxins, 39
- agreed quality limit (AQL), 30, 32, 34
- alcohol content by volume (ABV)
 - frequency of measurement, 64
 - gas chromatographic measurement, 27
 - taxation based on, 27
- alcohol-free beers, 17–18
- alkalinity, of water, 55
- alpha acid, in hops, 57
- American Society of Brewing Chemists (ASBC)
 - Laboratory Proficiency Program, 25–26
 - Malt-14, 26
 - methods of analysis, 20–21
- Anheuser-Busch, 56
- aroma, of beer, 37, 64
- audits
 - internal, 12
 - of suppliers, 36, 49
- automated feedback control, 30
- bacteria. *See also* microbiological analysis; microbiological risks
 - dimethyl sulfide conversion in, 38
- Bamforth, Charles W., 31, 35
- barley
 - color of, 54
 - flaked, 54
 - moisture content of, 54
 - protein measurement in, 23–24
 - torrefied, 54
- Bass Brewers, 3, 12, 30, 31
 - Preston Brook Brewery, 34, 35
- beer
 - composition analysis of, 63, 64–65
 - control parameters for, 63
 - coolants in, 39
 - oxygen content, 49–50
- beer tanks, pipe lines to, 34
- bell curve, 18
- bitterness, frequency of analysis, 64

- boiling, of wort
 - effect on dimethyl sulfide potential, 37
 - specifications and analysis sheets for, 61
- Boulton, Chris, 30, 31
- breakdown, frequency of analysis of, 64
- breweries, design of, 34
- Brewers Association, website, 8
- Brewing Industry Research Foundation, 40
- Brewing Research Foundation, 40
- Brewing Research Foundation International, 40
- Brewing Research International, 40
- bright beer chillers, coolant migration in, 40–41
- bright beer tanks, oxygen levels, 44–45
- Brix, 54
- buildings, fitness for purpose, 38–39
- calcium, water content, 55
- calibration programs, 12
- Campden BRI, 40
- canning, package checks in, 51
- carbon dioxide
 - in fermentation, 62
 - measurement in beer, 64
 - removal, 34
 - restoration to specification, 34
- Central European Commission for Brewing Analysis, 20
- chemical risks, identification of, 39
- chloride, water content, 55
- clarity
 - frequency of analysis of, 64
 - in lautering, 61
 - prediction of, 64
 - visual assessment of, 62, 63
 - of wort, 62
- cleaning, standard operating procedures for, 8
- cleaning systems, hygiene status of, 59
- codes of practice, 10
- CODEX, 42
- cold conditioning, 62
- color
 - of adjuncts, 54
 - of barley, 54
 - frequency of analysis of, 64
 - Fusarium*-related, 51
 - measurement methods, 20
 - of sugars, 54
- Color and Clarity*, 10, 58, 63
- consistency, of brewing methods, 7–8, 19–20
 - in boiling of wort, 61
 - as brewing goal, 37, 50
 - in fermentation, 30
 - in systematic quality, 7–8
- consortia, of brewers, 12
- contractual requirements, 10–11
- control diagrams and schemes, 10
- coolants
 - as beer contaminants, 45
 - glycol as, 40, 45
 - migration in bright beer chillers, 40–41
 - in wort, 39
- cooling, quality program for, 62
- cooling towers, undesirable organisms in, 39
- Cooper, Tim, 4–5
- Coopers Brewery, 4–5
- copper, water content, 55
- corn, as adjunct, 54
- costs
 - preventive, 45–46
 - of quality, 44–46
- critical control points (CCPs), 9, 37–38. *See also* Hazard Analysis and Critical Control Points (HACCP)
 - in beer transfer to bright beer chillers, 40–41
 - identification of, 39
- customer complaints, handling of, 12

data plotting, 68
 deoxynivalenol (DON), 29–30, 51
 dextrinizing units, 51
 diastatic powder, 51
 dimethyl sulfide (DMS), 37
 control of, 61
 critical control points, 37–38
 loss in fermenters, 38
 measurement of, 20, 26
 documentation
 as HACCP program component, 39
 role in quality assurance, 9–10, 67
 uniform use of, 10
 Dumas, Jean-Baptiste, 23

 employees
 responsibility for quality, 3–5
 training programs for, 12, 36, 39, 46, 67
 enzymes, use in gluten-reduced products, 61
 equipment
 cost of, 46
 fitness for purpose, 38–39
 errors, sources of, 24
 esters, 62, 64
 European Brewery Convention (EBC), standard methods of, 20–21

 failure
 in beer gas content control, 34–36
 external and internal, 45
 feeler gauges, 58, 60
 fermentability, 51
 fermentation
 consistency in, 20, 30
 rate, 62
 temperature for, 62
 yeast count in, 30
 fermenters, 62
 dimethyl sulfide loss in, 38
 filtration, 63
 fitness for purpose, 38–39
Flavor, 20, 37–38, 56, 57

 flavor, of beer
 acceptability tasting, 64
 dimethyl sulfide effects, 61
Foam, 30, 57
 foam, stability of, 34, 64
 Food and Drug Administration (FDA), 41, 42
 good manufacturing practices requirement, 8
 food safety hazards
 in malt, 51
 types of, 43
 food safety hazards controls
 Hazard Analysis and Critical Control Points (HACCP), 9, 10, 38–41, 42, 43
 Hazard Analysis and Risk-Based Preventive Controls (HARPC), 41–43
 Food Safety Modernization Act (FSMA), 8–9, 42, 43
 foreign bodies, in beer cans and bottles, 12, 63
 friability, of malt, 51, 52
Fusarium, 29–30, 51

 gas chromatographic measurement, 13
 of alcohol content by volume (ABV), 27
 gases, beer content of. *See also* carbon dioxide; oxygen
 frequency of analysis, 63, 64
 specification targets for, 34–36
 glass, safety risk from, 39
 gliadin, 65
 β -glucan, 51
 β -glucanase, 51
 gluten-reduced products, 61, 65
 glycol, 40, 45
 good agreement, in standard methods, 21–24
 good manufacturing practices (GMP), 8–9, 42
 gravity. *See also* specific gravity
 for liquid flow, 34

Index

- grist, 60
 - milled, 58
- Grossman, Ken, 4–5
- gushing/gushing potential, 29–30, 45, 65
- Hazard Analysis and Critical Control Points (HACCP), 9, 38–41
 - comparison with HARPC, 41, 42, 43
 - definition, 38
 - implementation requirements, 38–41
- Hazard Analysis and Risk-Based Preventive Controls (HARPC), 41–43, 46
 - comparison with HACCP, 41, 42, 43
- haze, measurement of, 20–21
- hefeweissen beer, 2
- Hegarty, Paul, 31
- hemocytometers, 59
- Hershey, Milton S., 1
- hops and hop extracts
 - sensory testing of, 56
 - specifications and analysis sheets for, 57
- hydrophobin, 30
- hydrostatic pressure, in fermenters, 62
- hygiene
 - Hazard Analysis and Critical Control Points (HACCP) guidelines, 39
 - quality programs for, 58, 59
- in-line analysis, 30
- Institute of Brewing, 20
- International Organization for Standardization (ISO)
 - 9000 program, 10
 - 9001 program, 10–12, 38
 - accreditation by, 36
- iodine, 60–61
- ions, water content, 55
- iron
 - beer content, 64
 - water content, 55
- iso- α -acid, 57
- isoamyl acetate, 25–26
- iso-cohumulone, 57
- Jackson, Gordon, 40, 45
 - Journal of the American Society of Brewing Chemists*, 21
- Kell, Douglas, 30, 32
- Kjeldahl, Johan, 23
- Kolbach index (soluble nitrogen ratio or S/T value), 51
- laboratories, performance evaluation of, 25–26, 68
- lagers, 37
- Large, Geoff, 31
- lautering
 - prolonged, 45
 - quality program for, 61
- leadership
 - commitment to quality, 3–5, 10, 67
 - commitment to safety, 38
- legal requirements, for quality programs, 10–11, 63, 64, 67
- magnesium, water content, 55
- malt
 - absence of taints in, 51, 52, 53
 - age, 53
 - ale-type, 52
 - black, 53
 - black barley, 53
 - caramel, 53
 - color, 52, 53
 - dimethyl sulfide content, 37
 - free amino nitrogen content, 52
 - friability, 51, 52
 - homogeneity, 52
 - lager-type, 52

S-methylmethionine content, 26–27, 37, 52
 milled, 60
 moisture content, 52, 53
 oxalic acid content, 21, 24–25
 pale, 52–53
 representative sampling of, 50–51
 roasted barley, 53
 sensory testing of, 56
 specialty, 53
 specifications and analysis sheets for, 48–49, 51–53
 undesirable components, 39
 wheat, 53
 manganese, water content, 55
 Manners, Robin, 3, 10
 mash, starch removal from, 60–61
 mashing, quality program for, 60–61
 Master Brewers Association of the Americas, website, 8
 mean (*m*), 13–14, 17–18, 24–25
 mean absolute deviation (MAD), 15
 mean square deviation (MSD), 16
 measurements, for quality assurance, 29–36. *See also* standard methods; statistics
 accuracy of, 22–24
 of beer components, 64–65
 categories of, 29–30
 “in specification,” 32
 precision of, 26–27
 real-time, 30, 64
 shifts in, 27
 timing of, 29–30, 48, 68
 types of, 29, 48
 meetings, for quality review, 11–12
 methods of analysis, 20–21
 methyl blue stain, for yeast, 59
 microbiological analysis
 frequency of performance, 65
 of raw materials, 59
 microbiological risks, identification of, 39
 mill settings, 58, 60
 Mitteleuropäische Brautechnische Analysenkommission (MEBAK), 20
 moisture content
 of barley, 54
 of malt, 52, 53
 National Advisory Committee on Microbiological Criteria for Foods, 42
 National Primary Drinking Water Regulations, 49, 54–55
 nitrogen, measurement in beer, 64
 normal distribution, 17–18, 24–25
 oxalic acid, measurement in malt, 21, 24–25
 oxygen
 addition during cooling, 62
 beer content, 49–50
 levels during fermentation, 62
 levels in bright beer tanks, 44–45
 purging of, 34, 44–45
 total in-pack, 64
 oxygen analyzers, 62
 packaged beer, key control parameters, 63
 packaging, 63
 pH
 in fermentation, 62
 frequency of analysis of, 64
 in lautering, 61
 as sourness indicator, 64
 pipe lines, 34
 polyphenols, 64
 polyvinylpyrrolidone (PVPP), 10
 precision
 of measurement, 26–27
 of standard methods, 22–24
 pressure differentiation, during beer transfer, 40–41
 preventive costs, 45–46
 proactive techniques, 36, 48

Index

- processes, standard operating
 - procedures for, 8, 9
- process flow charts, 39
- product-recall systems, 39
- prolyl endoproteinase (PEP), 61
- protein, barley content, 23–24
- purchase, of materials and services, 12. *See also* suppliers
- Quain, David, 30, 31
- quality. *See also* systematic quality
 - cost of, 44–45
 - definition, 1–3, 67
 - organizational factors in, 3–5
 - production expediency versus, 49–50
 - top-down approach to, 3–5, 10, 67
- quality assurance, 29–36
 - comparison with quality control, 34–36, 68
 - cost of, 45–46
 - mission of, 35–36
 - as proactive process, 36, 48
- quality assurance managers, 47
 - reporting hierarchy of, 49–50
- quality control, comparison with
 - quality assurance, 34–36
- quality manuals, 7–8, 10
- quality policy, 10, 11
- quality programs, components of, 47–65. *See also* specifications and analysis sheets
 - adjuncts, 53–54
 - baseline approach, 50–65
 - beer measurements, 63, 64–65
 - boiling of wort, 61
 - cold conditioning, 62
 - cooling, 62
 - fermentation, 62
 - filtration, 63
 - hops, 57
 - hygiene, 58, 59
 - lautering, 61
 - legal aspects, 10–11, 63, 64, 67
 - malt, 51–53
 - market-protocol match, 47–48
 - mashing, 60–61
 - mill settings, 58, 60
 - packaging, 63
 - principles of, 47–50
 - stabilization, 63
 - warehousing and storage, 63
 - water, 54–56
 - whirlpools, 61
 - yeast, 58, 59
- range (statistical), 14–16
- raw materials
 - analysis of, 29–30, 48–49
 - microbiological evaluation of, 59
 - representative sampling of, 50–51
 - specifications for, 67
 - transport of, 39
- real-time measurements, 30
- reject quality limit (RQL), 30, 32, 34
- reliability, 25
- repeatability (*r*), 26–27
- representative sampling
 - of malt, 50–51
 - of pitching wort, 62
- reproducibility (*R*), 26–27
- residual extract, 64
- reviews, of quality systems, 11–12
- rice, as adjunct, 54
- ring analysis, 36
- roller mills, 9
 - settings of, 58, 60
- safety products, commitment to, 38
- safety. *See also* food safety hazards
 - controls
 - identification of risks to, 38–39
- sensory testing
 - of beer, 64
 - of hops and hop teas, 56
 - of malt, 56
 - of water, 55–56
 - of wort, 56
- Sierra Nevada (beer company), 4–5
- silicate, water content, 55

six sigma range, 32
S-methylmethionine (SMM)
 conversion to dimethyl sulfide, 20,
 37, 38, 61
 degradation, 37
 in malt, 26–27
 precision of measurement of, 26
 Snake Venom beer, 17
 sodium, water content, 55
 soluble nitrogen ratio (Kolbach index
 or S/T value), 51
 sour beer, 64
 specifications
 beer oxygen content, 49–50
 ISO requirements, 10–12
 relationship to standard methods,
 24
 “right the first time,” 35–36
 specifications and analysis sheets
 adjuncts, 53–54
 hops and hop extracts, 57
 malt, 48–49, 51–53
 water quality, 54–56
 yeast, 58, 59
 specific gravity
 in boiling of wort, 61
 in fermentation, 62
 in lautering, 61
 stabilization, efficacy evaluation of,
 63
 staff. *See* employees
 standard deviation (σ), 16–17, 24–25
 95%, 18, 24–25, 32
 99%, 18, 32
 of agreed quality limit (AQL), 32
 of reject quality limit (RQL), 32
 standard methods, 19–27
 accuracy and precision of, 22–24
 establishment of, 21
 good agreement in, 21–24
 groups of, 20–21
 relationship to specifications, 24
 repeatability (*r*), 26–27
 reproducibility (*R*), 26–27
 Youden plots, 24–26, 32
 standard operating procedures (SOP),
 8, 9
 adjustment for problem recurrence
 prevention, 12
 maintenance of, 36
 for mashing, 60
 starch, removal from mash, 60–61
 statistics, 13–18
 bell curves, 18
 mean (*m*), 13–14
 mean absolute deviation (MAD),
 15
 mean square deviation (MSD), 16
 normal distribution, 17–18, 24–25
 range, 14–16
 reliability of, 25
 standard deviation (σ), 16–17, 18,
 24–25, 32
 steep tanks, 49
 storage, 63
 S/T value (Kolbach index or soluble
 nitrogen ratio), 51
 sugars, 54
 sulfate, water content, 55
 sulfur-containing molecules, 64
 sulfur dioxide, frequency of analysis
 of, 64
 suppliers, 12
 audits of, 36, 49
 relationship with, 49, 51, 68
 safety requirements for, 39
 of water, 54–55
 syrups, 54
 systematic quality, 7–12
 consistency in, 7–8
 Food Safety Modernization Act
 (FSMA), 8–9, 42, 43
 good manufacturing practices
 (GMP), 8–9
 Hazard Analysis and Critical
 Control Points (HACCP), 9
 Hazard Analysis and Risk-
 Based Preventive Controls
 (HARPC), 9
 ISO 9000, 10

Index

Index

- ISO 9001, 10–12, 38
- reviews of quality systems, 11–12
- standard operating procedures (SOP), 8, 9, 12, 36, 60
- taste testing. *See* sensory testing
- taxation, based on alcohol content by volume (ABV), 27
- temperature
 - in cold conditioning, 62
 - in fermentation, 62
 - in warehousing and storage, 63
 - of water, in mashing, 60
- terrorism, 43
- Todd, Bob, 30
- total dissolved solids, water content, 55
- total protein, 51
- total quality management (TQM), 36
- total soluble protein (nitrogen) (TSN), 48
- training, of employees, 12, 36, 39, 67
 - cost of, 46
- turbidity
 - quantification of, 63
 - of water, 55
- U.S. Department of Agriculture, 41, 42
- viability, of yeast, 59, 62
- vicinal diketones, 56, 62, 64
- viscosity, of wort, 51
- volatile compounds, suppression of, 62
- warehousing, 63
- water
 - analysis of, 30, 49
 - quality monitoring, 54–56
 - sensory testing of, 55–56
 - suppliers of, 54–55
- water temperature, in mashing, 60
- wheat, as adjunct, 54
- whirlpools
 - effect on dimethyl sulfide content, 37
 - quality program for, 61
- White, Harry, 34
- wort
 - clarity, 62
 - coolants in, 39
 - properties of, 60
 - sensory testing of, 56
 - spoilage bacteria in, 38
 - strength, 62
 - total soluble protein (nitrogen) (TSN), 48
 - viscosity, 51
- yeast
 - age, 59
 - premature flocculation factor, 51
 - viability, 59, 62
 - wild, 59
- yeast count
 - with Aber biomass probe, 30
 - viable, 62
- Youden plots, 24–26, 32
- Youden, William, 24